

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5	("7120446" "7103364" "6907250" "6944439" "6983039").pn.	US- PGPUB; USPAT	OR	ON	2008/05/27 14:47
S1	2	(@ad< "20010116" or @rlad< "20010116") and (call near accept\$4) with (packet adj session)	US- PGPUB; USPAT	OR	ON	2007/11/06 09:19
S2	3	(@ad< "20010116" or @rlad< "20010116") and (call with accept\$4) with (packet adj session)	US- PGPUB; USPAT	OR	ON	2006/06/07 09:31
S3	173	(@ad< "20010116" or @rlad< "20010116") and (call with accept\$4 with threshold)	US- PGPUB; USPAT	OR	ON	2006/06/07 09:31
S4	2	(@ad< "20010116" or @rlad< "20010116") and (call with accept\$4 with threshold) with ((packet or data) adj (session or call))	US- PGPUB; USPAT	OR	ON	2006/06/07 11:05
S5	53	(@ad< "20010116" or @rlad< "20010116") and (call near accept\$4 with threshold)	US- PGPUB; USPAT	OR	ON	2007/05/17 08:21
S6	7	(@ad< "20010116" or @rlad< "20010116") and (call near accept\$4 with threshold) with (base adj station)	US- PGPUB; USPAT	OR	ON	2006/06/07 09:33
S7	28	(@ad< "20010116" or @rlad< "20010116") and (threshold) with ((packet or data) adj (session or call))	US- PGPUB; USPAT	OR	ON	2006/06/07 11:07
S8	12	(@ad< "20010116" or @rlad< "20010116") and (threshold) with ((packet or data) adj (session or call)) and ((base adj station) or (access adj point))	US- PGPUB; USPAT	OR	ON	2006/06/08 09:07
S9	0	(@ad< "20010116" or @rlad< "20010116") and (guaranteed adj bandwidth adj packet adj calls)	US- PGPUB; USPAT	OR	ON	2006/06/08 09:08

S10	29	(@ad< "20010116" or @rlad< "20010116") and (guaranteed adj bandwidth adj packet)	US- PGPUB; USPAT	OR	ON	2006/06/08 09:08
S11	2	(@ad< "20010116" or @rlad< "20010116") and (guaranteed adj bandwidth adj packet) and base adj station	US- PGPUB; USPAT	OR	ON	2006/06/08 09:09
S12	0	(@ad< "20010116" or @rlad< "20010116") and ((guaranteed adj bandwidth) with (packet or data) adj call) and base adj station	US- PGPUB; USPAT	OR	ON	2006/06/08 09:09
S13	0	(@ad< "20010116" or @rlad< "20010116") and ((guaranteed adj bandwidth) with (packet or data) adj session) and base adj station	US- PGPUB; USPAT	OR	ON	2006/06/08 09:09
S14	0	(@ad< "20010116" or @rlad< "20010116") and ((guaranteed with bandwidth) with (packet or data) adj session) and base adj station	US- PGPUB; USPAT	OR	ON	2006/06/08 09:09
S15	56	(@ad< "20010116" or @rlad< "20010116") and ((guaranteed with bandwidth) with (packet or data)) and base adj station	US- PGPUB; USPAT	OR	ON	2006/06/08 09:10
S16	15	(@ad< "20010116" or @rlad< "20010116") and ((guaranteed adj bandwidth) with (packet or data)) and base adj station	US- PGPUB; USPAT	OR	ON	2006/06/08 09:10
S17	103229	(@ad< "20010116" or @rlad< "20010116") and (load\$3 with (cell or (base adj station) or (access adj point) or BS or BTS or AP))	US- PGPUB; USPAT	OR	ON	2007/05/17 08:22
S19	5643	(@ad< "20010116" or @rlad< "20010116") and (load\$3 with (cell or (base adj station) or (access adj point) or BTS or AP) with (packet or data))	US- PGPUB; USPAT	OR	ON	2007/05/17 08:23

S20	5515	(@ad< "20010116" or @rlad< "20010116") and (load\$3 with (cell or (base adj station) or (access adj point)) with (packet or data))	US- PGPUB; USPAT	OR	ON	2007/05/17 08:24
S21	871	(@ad< "20010116" or @rlad< "20010116") and (load\$3 with (cell or (base adj station) or (access adj point)) with (packet or data)) and ("370"/\$.ccls. or "455"/\$.ccls.)	US- PGPUB; USPAT	OR	ON	2007/05/17 08:25
S22	100	(@ad< "20010116" or @rlad< "20010116") and (load\$3 with (cell or (base adj station) or (access adj point)) with (packet or data)) and ("370"/\$.ccls. or "455"/\$.ccls.) and (load\$3 with threshold)	US- PGPUB; USPAT	OR	ON	2007/05/17 08:26
S23	4	(@ad< "20010116" or @rlad< "20010116") and (load\$3 with (cell or (base adj station) or (access adj point)) with (packet or data)) and ("370"/\$.ccls. or "455"/\$.ccls.) and (load\$3 with threshold) and (number with user with (packet or data) with load\$3)	US- PGPUB; USPAT	OR	ON	2007/05/17 08:30
S24	9160	(@ad< "20010116" or @rlad< "20010116") and ((accept\$4 or admit\$5 or grant\$3) with threshold)	US- PGPUB; USPAT	OR	ON	2007/05/17 08:31
S25	204	(@ad< "20010116" or @rlad< "20010116") and ((accept\$4 or admit\$5 or grant\$3) with threshold) and (packet with load\$3)	US- PGPUB; USPAT	OR	ON	2007/05/17 08:32
S26	151	(@ad< "20010116" or @rlad< "20010116") and ((accept\$4 or admit\$5 or grant\$3) with threshold) and (packet with load\$3) and ("370"/\$.ccls. or "455"/\$.ccls.)	US- PGPUB; USPAT	OR	ON	2007/05/17 08:32

S27	6	(@ad< "20010116" or @rlad< "20010116") and ((accept\$4 or admit\$5 or grant\$3) with threshold) same (packet with load\$3) and ("370"/\$.ccls. or "455"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2007/05/17 08:34
S28	1	(@ad< "20010116" or @rlad< "20010116") and ((accept\$4 or admit\$5 or grant\$3) with threshold) same ((packet or data) near2 call with load\$3)	US-PGPUB; USPAT	OR	ON	2007/05/17 08:34
S29	65	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with (user) with (call near accept\$3))	US-PGPUB; USPAT	OR	ON	2007/11/06 09:20
S30	0	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with packet with (user) with (call near accept\$3))	US-PGPUB; USPAT	OR	ON	2007/11/06 09:20
S31	540	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with packet with (user or call))	US-PGPUB; USPAT	OR	ON	2007/11/06 09:21
S32	24	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with packet with (user or call) with number) and (call with (accept\$4 or admit\$5))	US-PGPUB; USPAT	OR	ON	2007/11/06 09:32
S33	61	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with packet with (user or call) with number)	US-PGPUB; USPAT	OR	ON	2007/11/06 09:37
S34	133	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with data near2 (user or call) with number)	US-PGPUB; USPAT	OR	ON	2007/11/06 09:38
S35	4	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with data near2 (user or call) with number) same (call with (accept\$4 or admit\$5))	US-PGPUB; USPAT	OR	ON	2007/11/06 09:50
S36	29	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with data near2 (user or call) with number) and (call with (accept\$4 or admit\$5))	US-PGPUB; USPAT	OR	ON	2007/11/06 09:51

S37	16	(@ad< "20010116" or @rlad< "20010116") and (active\$2 with data near2 (user or call) with amount)	US- PGPUB; USPAT	OR	ON	2007/11/06 09:51
-----	----	--	------------------------	----	----	---------------------

5/27/08 2:53:13 PM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\10044945.wsp